

49.1.B



Fig. 1. C





Fig. 1. D





Fig. 1. E




Fig. 2.A




Fig. 2. A

00031529 023792

Fig. 2.B









Fig. 2.C



00034629 022798

Fig. 3.A



bioRxiv preprint doi: <https://doi.org/10.1101/023460>; this version posted September 19, 2014. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

Fig. 4. A




Fig. 4. B






Fig. 4c



622233 62372060

Fig. 5A

Cytosol with GST-NF κ Bp65 wt



Nuclear with GST-NF κ Bp65 wt





Fig. 5. B

Cytosol IP with α -NF κ Bp35



Nuclear IP with α -NF κ Bp65




Fig 5.C




Fig 5.D




Fig. 6.
A




Fig. 6.
B




Fig. 6.
C




Fig. 6.
D




Fig. 7. A




Fig. 7 B




Fig. 7. c




Fig. 8 A




Fig. 8 B




Fig. 8 C






Fig. 9

BALB/C
N.E. from Spleen



NOD
N.E. from Spleen



Fig¹⁰ A




Fig. 10. B

